

United States Department of Labor Division of Energy Employees Occupational Illness Compensation

Request Claim Billing/Claim Rebill (B1/B3) Payer Sheet

GENERAL INFORMATION

yer Name: United States Department of Labor Date: September 21, 2020					
Plan Name/Group Name: United States Department of Labor – Division of Energy Employees Occupational Illness Compensation	BIN: 61ØØ84	PCN: DRWDPROD = Production			
Plan Name/Group Name: Department of Labor – Division of Energy Employees Occupational Illness Compensation (test)	BIN: 61ØØ84	PCN: DRWDACCP = Test (after 1/1/2012)			
Processor: Conduent					
Effective as of: 01/01/2012 NCPDP Telecommunication Standard Version/Release #: D.Ø					
NCPDP Data Dictionary Version Date: October, 2016	NCPDP External Code List Version Date: November, 2016				
Contact/Information Source: Other references such as Provider Manuals, Payer phone number, web site, etc.					
Certification Testing Window: Certification Testing Dates					
Certification Contact Information: Certification phone number and information					
Provider Relations Help Desk Info: 866-664-5581					
Other versions supported: 5.1 supported through 12/31/2011					

OTHER TRANSACTIONS SUPPORTED

Payer: Please list each transaction supported with the segments, fields, and pertinent information on each transaction.

Transaction Code	Transaction Name
B1	Billing
B3	Rebilling

FIELD LEGEND FOR COLUMNS

Payer Usage Column	Value	Explanation	Payer Situation Column
MANDATORY	М	The Field is mandatory for the Segment in the designated Transaction.	No
REQUIRED	R	The Field has been designated with the situation of "Required" for the Segment in the designated Transaction.	No
QUALIFIED REQUIREMENT	RW	"Required when". The situations designated have qualifications for usage ("Required if x", "Not required if y").	Yes

Fields that are not used in the Claim Billing/Claim Rebill transactions and those that do not have qualified requirements (i.e. not used) for this payer are excluded from the template.

CLAIM BILLING/CLAIM REBILL TRANSACTION

The following lists the segments and fields in a Claim Billing or Claim Rebill Transaction for the NCPDP *Telecommunication Standard Implementation Guide Version D.Ø.*

Guido Volcion B.S.						
Transaction Header Segment Questions	Check	Claim Billing/Claim Rebill If Situational, Payer Situation				
This Segment is always sent	Х					
Source of certification IDs required in Software Vendor/Certification ID (11Ø-AK) is Not used	Х					

	Transaction Header Segment			Claim Billing/Claim Rebill
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
1Ø1-A1	BIN NUMBER	61ØØ84	М	
1Ø2-A2	VERSION/RELEASE NUMBER	DØ	М	
1Ø3-A3	TRANSACTION CODE	B1 = Billing B3 = Rebill	М	Claim Billing, Claim Rebill



				The state of the s
1Ø4-A4	PROCESSOR CONTROL NUMBER	DRWDPROD = Production DRWDACCP = Test	М	
1Ø9-A9	TRANSACTION COUNT	1 = One Occurrence 2 = Two Occurrences 3 = Three Occurrences 4 = Four Occurrences	М	
	Transaction Header Segment			Claim Billing/Claim Rebill
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
2Ø2-B2	SERVICE PROVIDER ID QUALIFIER	Ø1 = National Provider Identifier (NPI)	М	
2Ø1-B1	SERVICE PROVIDER ID	NPI Number	М	
4Ø1-D1	DATE OF SERVICE	CCYYMMDD	М	
11Ø-AK	SOFTWARE VENDOR/CERTIFICATION ID	This will be provided by the provider's software vender	М	If no number is supplied, populate with zeros

Insurance Segment Questions	Check	Claim Billing/Claim Rebill If Situational, Payer Situation
This Segment is always sent	X	

	Insurance Segment Segment Identification (111-AM) = "Ø4"			Claim Billing/Claim Rebill
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
3Ø2-C2	CARDHOLDER ID	SSN	М	
3Ø1-C1	GROUP ID	OWCP1222	R	
3Ø6-C6	Patient Relationship Code	1 = Cardholder	R	

Patient Segment Questions	Check	Claim Billing/Claim Rebill If Situational, <i>Payer Situation</i>
This Segment is always sent	X	

	Patient Segment Segment Identification (111-AM) = "Ø1"			Claim Billing/Claim Rebill
Field	NCPDP Field Name	Value	Payer Usage	Payer Situation
3Ø4-C4	DATE OF BIRTH	CCYYMMDD	R	
3Ø5-C5	PATIENT GENDER CODE	Ø = Not Specified 1 = Male 2 = Female	R	
31Ø-CA	PATIENT FIRST NAME		R	Up to 12 characters
311-CB	PATIENT LAST NAME		R	Up to 15 characters

Claim Segment Questions	Check	Claim Billing/Claim Rebill If Situational, <i>Payer Situation</i>
This Segment is always sent	Х	
This payer does not support partial fills	Х	

	Claim Segment Segment Identification (111-AM) = "Ø7"			Claim Billing/Claim Rebill
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
455-EM	PRESCRIPTION/SERVICE REFERENCE NUMBER QUALIFIER	1 = Rx Billing	М	



4Ø2-D2	PRESCRIPTION/SERVICE REFERENCE NUMBER	Rx Number assigned by the pharmacy	М	
436-E1	PRODUCT/SERVICE ID QUALIFIER	Ø3 = National Drug Code	М	
4Ø7-D7	PRODUCT/SERVICE ID	National Drug Code (NDC)	М	
442-E7	QUANTITY DISPENSED	Metric Decimal Quantity	R	
4Ø3-D3	FILL NUMBER	Ø = Original Dispensing 1-99 = Refill number	R	
4Ø5-D5	DAYS SUPPLY		R	
4Ø6-D6	COMPOUND CODE	1 = Not a compound 2 = Compound	R	Required in D.0 and value 'Ø' not allowed
4Ø8-D8	DISPENSE AS WRITTEN (DAW)/PRODUCT SELECTION CODE		R	
414-DE	DATE PRESCRIPTION WRITTEN	CCYYMMDD	R	
415-DF	NUMBER OF REFILLS AUTHORIZED	Ø = Not Specified 1-99 = number of refill	R	
46Ø-ET	QUANTITY PRESCRIBED	Metric Decimal Quantity	RW	Required when Rx is a DEA Schedule II drug
354-NX	SUBMISSION CLARIFICATION CODE COUNT	Maximum count of 3.	RW	Imp Guide: Required if Submission Clarification Code (42Ø-DK) is used.
42Ø-DK	SUBMISSION CLARIFICATION CODE	8=Process compound for Approved Ingredients	RW	
995-E2	ROUTE OF ADMINISTRATION	SNOMED CT Values required	RW	Required when the Rx is a compound
				New Field - replaces 452-EH in 5.1 Compound Segment

Pricing Segment Questions	Check	Claim Billing/Claim Rebill If Situational, Payer Situation
This Segment is always sent	X	

	Pricing Segment Segment Identification (111-AM) = "11"			Claim Billing/Claim Rebill
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
4Ø9-D9	INGREDIENT COST SUBMITTED		R	Format=s\$\$\$\$\$cc
412-DC	DISPENSING FEE SUBMITTED		RW	Required when submitting a claim for member reimbursement.
481-HA	FLAT SALES TAX AMOUNT SUBMITTED		RW	Required when there is sales tax applicable at the dispensing site
482-GE	PERCENTAGE SALES TAX AMOUNT SUBMITTED		RW	Required when there is sales tax applicable at the dispensing site
484-JE	PERCENTAGE SALES TAX BASIS SUBMITTED	Blank = Not Specified Ø2=Ingredient Cost Ø3=Ingredient Cost + Dispensing Fee	RW	Required when there is sales tax applicable at the dispensing site Value Ø1=Gross Amount Due no longer valid
426-DQ	USUAL AND CUSTOMARY CHARGE		R	
43Ø-DU	GROSS AMOUNT DUE		R	Format=s\$\$\$\$\$\$cc <u>Examples:</u> If the gross amount due is \$14.95, this field would reflect: 149E.

DUR/PPS Segment Questions	Check	Claim Billing/Claim Rebill If Situational, Payer Situation
This Segment is situational	X	



	DUR/PPS Segment Segment Identification (111-AM) = "Ø8"				Claim Billing/Claim Rebill	
Field #	NCPDP Field Name	Value		Payer Usage	Payer Situation	
473-7E	DUR/PPS CODE COUNTER	Maximum of 9	occurrences.	R	Required if DUR/PPS Segment is used.	
439-E4	REASON FOR SERVICE CODE	See Attached list of valid Values		RW	Required when there is a conflict to resolve or reason for service to be explained (Max 9)	
					Code identifying the type of utilization conflict detected or the reason for the pharmacist's professional service.	
44Ø-E5	PROFESSIONAL SERVICE CODE	See Attached list of valid Values		RW	Required when there is a professional service to be identified (Max 9)	
					Code identifying pharmacist intervention when a conflict code has been identified or service has been rendered.	
441-E6	RESULT OF SERVICE CODE	See Attached list of valid Values		RW	Required when There is a result of service to be Submitted (Max = 9).	
					Action taken by a pharmacist in response to a conflict or the result of a pharmacist's professional service.	
Compoun	d Segment Questions	Check	Claim Billing/Clai Situational, Payer			
This Segm	nent is situational	X Required when billing				
	Compound Segment Segment Identification (111-AM) = "1Ø"				Claim Billing/Claim Rebill	
Field#	NCPDP Field Name	Value		Payer Usage	Payer Situation	
45Ø-EF	COMPOUND DOSAGE FORM DESCRIPTION CODE	Ø1=Capsule Ø2=Ointment Ø3=Cream Ø4=Suppository Ø5=Powder Ø6=Emulsion Ø7=Liquid 1Ø=Tablet 11=Solution 12=Suspension 13=Lotion 14=Shampoo 15=Elixir 16=Syrup 17=Lozenge 18=Enema		М		
		1=Each 2=Grams 3=Milliliters		M		
451-EG	COMPOUND DISPENSING UNIT FORM INDICATOR	2=Grams 3=Milliliters				
447-EC	INDICATOR COMPOUND INGREDIENT COMPONENT COUNT	2=Grams 3=Milliliters Maximum 25		M		
447-EC 488-RE	INDICATOR COMPOUND INGREDIENT COMPONENT COUNT COMPOUND PRODUCT ID QUALIFIER	2=Grams 3=Milliliters Maximum 25	ingredients Drug Code (NDC)	M		
447-EC 488-RE 489-TE	INDICATOR COMPOUND INGREDIENT COMPONENT COUNT COMPOUND PRODUCT ID QUALIFIER COMPOUND PRODUCT ID	2=Grams 3=Milliliters Maximum 25		M M		
447-EC 488-RE	INDICATOR COMPOUND INGREDIENT COMPONENT COUNT COMPOUND PRODUCT ID QUALIFIER	2=Grams 3=Milliliters Maximum 25		M		

** End of Request Claim Billing/Claim Rebill (B1/B3) Payer Sheet Template**



RESPONSE CLAIM BILLING/CLAIM REBILL PAYER SHEET

CLAIM BILLING/CLAIM REBILL ACCEPTED/PAID (OR DUPLICATE OF PAID) RESPONSE

** Start of Response Claim Billing/Claim Rebill (B1/B3) Payer Sheet Template**

GENERAL INFORMATION

Payer Name: Department of Labor	Date: September 21, 2020		
Plan Name/Group Name: Division of Energy Employees Occupational Illness Compensation	BIN: 61ØØ84	PCN: DRWDPROD = Production	
Plan Name/Group Name: Division of Energy Employees Occupational Illness Compensation (test)	BIN: 61ØØ84	PCN: DRWDACCP = Test	

CLAIM BILLING/CLAIM REBILL PAID (OR DUPLICATE OF PAID) RESPONSE

The following lists the segments and fields in a Claim Billing or Claim Rebill response (Paid or Duplicate of Paid) Transaction for the NCPDP *Telecommunication Standard Implementation Guide Version D.Ø*.

Response Transaction Header Segment Questions	Check	Claim Billing/Claim Rebill Accepted/Paid (or Duplicate of Paid) If Situational, Payer Situation
This Segment is always sent	X	

	Response Transaction Header Segment			Claim Billing/Claim Rebill – Accepted/Paid (or Duplicate of Paid)
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
1Ø2-A2	VERSION/RELEASE NUMBER	DØ	М	
1Ø3-A3	TRANSACTION CODE	B1, B3	М	
1Ø9-A9	TRANSACTION COUNT	Same value as in request	М	
5Ø1-F1	HEADER RESPONSE STATUS	A = Accepted	М	
2Ø2-B2	SERVICE PROVIDER ID QUALIFIER	Same value as in request	М	
2Ø1-B1	SERVICE PROVIDER ID	Same value as in request	М	
4Ø1-D1	DATE OF SERVICE	Same value as in request	М	

Response Message Segment Questions	Check	Claim Billing/Claim Rebill Accepted/Paid (or Duplicate of Paid) If Situational, Payer Situation
This Segment is situational	X	Segment sent if required for clarification

	Response Message Segment Segment Identification (111-AM) = "2Ø"			Claim Billing/Claim Rebill - Accepted/Paid (or Duplicate of Paid)
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
5Ø4-F4	MESSAGE	Text Message	RW	Required if text is needed for clarification or detail.

Response Insurance Segment Questions	Check	Claim Billing/Claim Rebill Accepted/Paid (or Duplicate of Paid) If Situational, Payer Situation
This Segment is always sent	Х	

Response Insurance Segment Segment Identification (111-AM) = "25"	Claim Billing/Claim Rebill – Accepted/Paid (or Duplicate of Paid)
---	---



Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
3Ø1-C1	GROUP ID		R	Used to identify the group number used in claim adjudication.
524-FO	PLAN ID		R	Used to identify the actual plan ID that was used in claim adjudication.

Response Status Segment Questions	Check	Claim Billing/Claim Rebill Accepted/Paid (or Duplicate of Paid) If Situational, Payer Situation
This Segment is always sent	X	

	Response Status Segment Segment Identification (111-AM) = "21"			Claim Billing/Claim Rebill – Accepted/Paid (or Duplicate of Paid)
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
112-AN	TRANSACTION RESPONSE STATUS	P=Paid D=Duplicate of Paid	М	
5Ø3-F3	AUTHORIZATION NUMBER	17-digit TCN	R	
13Ø-UF	ADDITIONAL MESSAGE INFORMATION COUNT	Maximum count of 25.	RW	Required if Additional Message Information (526-FQ) is used.
132-UH	ADDITIONAL MESSAGE INFORMATION QUALIFIER		RW	Required if Additional Message Information (526-FQ) is used.
526-FQ	ADDITIONAL MESSAGE INFORMATION		RW	Required when additional text is needed for clarification or detail.
131-UG	ADDITIONAL MESSAGE INFORMATION CONTINUITY		RW	Required if and only if current repetition of Additional Message Information (526-FQ) is used, another populated repetition of Additional Message Information (526-FQ) follows it, and the text of the following message is a continuation of the current.

Response Claim Segment Questions	Check	Claim Billing/Claim Rebill Accepted/Paid (or Duplicate of Paid) If Situational, Payer Situation
This Segment is always sent	Х	

	Response Claim Segment Segment Identification (111-AM) = "22"			Claim Billing/Claim Rebill – Accepted/Paid (or Duplicate of Paid)
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
455-EM	PRESCRIPTION/SERVICE REFERENCE NUMBER QUALIFIER	1 = Rx Billing	М	
4Ø2-D2	PRESCRIPTION/SERVICE REFERENCE NUMBER		М	

Response Pricing Segment Questions	Check	Claim Billing/Claim Rebill Accepted/Paid (or Duplicate of Paid) If Situational, Payer Situation
This Segment is always sent	X	



	Response Pricing Segment Segment Identification (111-AM) = "23"			Claim Billing/Claim Rebill – Accepted/Paid (or Duplicate of Paid)
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
5Ø5-F5	PATIENT PAY AMOUNT		R	
5Ø6-F6	INGREDIENT COST PAID		R	
5Ø7-F7	DISPENSING FEE PAID		R	
559-AX	PERCENTAGE SALES TAX AMOUNT PAID		R	Populated with zeros
566-J5	OTHER PAYER AMOUNT RECOGNIZED		RW	Required if Other Payer Amount Paid (431-DV) is greater than zero (Ø) and Coordination of Benefits/Other Payments Segment is supported.
5Ø9-F9	TOTAL AMOUNT PAID		R	
522-FM	BASIS OF REIMBURSEMENT DETERMINATION		RW	Required if Ingredient Cost Paid (5Ø6-F6) is greater than zero (Ø).
514-FE	REMAINING BENEFIT AMOUNT		R	Populated with zeros.
517-FH	AMOUNT APPLIED TO PERIODIC DEDUCTIBLE		R	Populated with zeros.
518-FI	AMOUNT OF COPAY		R	Patient Copay
52Ø-FK	AMOUNT EXCEEDING PERIODIC BENEFIT MAXIMUM		R	Populated with zeros.

Response DUR/PPS Segment Questions	Check	Claim Billing/Claim Rebill Accepted/Paid (or Duplicate of Paid) If Situational, Payer Situation
This Segment is situational	X	Sent to provide information about DUR conflicts

	Response DUR/PPS Segment Segment Identification (111-AM) = "24"			Claim Billing/Claim Rebill – Accepted/Paid (or Duplicate of Paid)
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
567-J6	DUR/PPS RESPONSE CODE COUNTER	Maximum 9 occurrences supported.	RW	Required if Reason For Service Code (439E4) is used.
439-E4	REASON FOR SERVICE CODE		RW	Required if utilization conflict is detected.
528-FS	CLINICAL SIGNIFICANCE CODE		RW	Required if needed to supply additional information for the utilization conflict.
529-FT	OTHER PHARMACY INDICATOR		RW	Required if needed to supply additional information for the utilization conflict.
53Ø-FU	PREVIOUS DATE OF FILL	CCYYMMDD	RW	Required if needed to supply additional information for the utilization conflict.
531-FV	QUANTITY OF PREVIOUS FILL		RW	Required if needed to supply additional information for the utilization conflict.
532-FW	DATABASE INDICATOR	1 = First DataBank – a drug database company	RW	Required if needed to supply additional information for the utilization conflict.
533-FX	OTHER PRESCRIBER INDICATOR		RW	Required if needed to supply additional information for the utilization conflict.
544-FY	DUR FREE TEXT MESSAGE		RW	Required if needed to supply additional information for the utilization conflict.



CLAIM BILLING/CLAIM REBILL ACCEPTED/REJECTED RESPONSE

CLAIM BILLING/CLAIM REBILL ACCEPTED/REJECTED RESPONSE

Response Transaction Header Segment Questions	Check	Claim Billing/Claim Rebill Accepted/Rejected If Situational, Payer Situation
This Segment is always sent	Х	

	Response Transaction Header Segment			Claim Billing/Claim Rebill Accepted/Rejected
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
1Ø2-A2	VERSION/RELEASE NUMBER	DØ	М	
1Ø3-A3	TRANSACTION CODE	B1, B3	М	
1Ø9-A9	TRANSACTION COUNT	Same value as in request	М	
5Ø1-F1	HEADER RESPONSE STATUS	A = Accepted	М	
2Ø2-B2	SERVICE PROVIDER ID QUALIFIER	Same value as in request	М	
2Ø1-B1	SERVICE PROVIDER ID	Same value as in request	М	
4Ø1-D1	DATE OF SERVICE	Same value as in request	М	

Response Message Segment Questions	Check	Claim Billing/Claim Rebill Accepted/Rejected If Situational, Payer Situation
This Segment is situational	X	Segment sent if required for reject clarification

	Response Message Segment Segment Identification (111-AM) = "2Ø"			Claim Billing/Claim Rebill Accepted/Rejected
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
5Ø4-F4	MESSAGE	Text Message	RW	Required if text is needed for clarification or detail.

Response Insurance Segment Questions	Check	Claim Billing/Claim Rebill Accepted/Rejected If Situational, Payer Situation
This Segment is always sent		
This Segment is situational		

	Response Insurance Segment Segment Identification (111-AM) = "25"			Claim Billing/Claim Rebill Accepted/Rejected
Field #	NCPDP Field Name	Value	Payer	Payer Situation
			Usage	
3Ø1-C1	GROUP ID		R	Used to identify the actual group ID used during adjudication.
524-FO	PLAN ID		R	Used to identify the actual plan ID used during adjudication.

Response Status Segment Questions	Check	Claim Billing/Claim Rebill Accepted/Rejected If Situational, Payer Situation
This Segment is always sent	X	

	Response Status Segment Segment Identification (111-AM) = "21"			Claim Billing/Claim Rebill Accepted/Rejected
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
112-AN	TRANSACTION RESPONSE STATUS	R = Reject	M	



5Ø3-F3	AUTHORIZATION NUMBER	17-digit TCN	R	
546-4F	REJECT FIELD OCCURRENCE INDICATOR			Required if a repeating field is in error, to identify repeating field occurrence.
13Ø-UF	ADDITIONAL MESSAGE INFORMATION COUNT	Maximum count of 25.	RW	Required if Additional Message Information (526-FQ) is used.
132-UH	ADDITIONAL MESSAGE INFORMATION QUALIFIER		RW	Required if Additional Message Information (526-FQ) is used.
526-FQ	ADDITIONAL MESSAGE INFORMATION		RW	Required when additional text is needed for clarification or detail.
131-UG	ADDITIONAL MESSAGE INFORMATION CONTINUITY		RW	Required if and only if current repetition of Additional Message Information (526-FQ) is used, another populated repetition of Additional Message Information (526-FQ) follows it, and the text of the following message is a continuation of the current.

Response Claim Segment Questions	Check	Claim Billing/Claim Rebill Accepted/Rejected If Situational, Payer Situation
This Segment is always sent	X	

	Response Claim Segment Segment Identification (111-AM) = "22"			Claim Billing/Claim Rebill Accepted/Rejected
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
455-EM	PRESCRIPTION/SERVICE REFERENCE NUMBER QUALIFIER	1 = Rx Billing	М	For Transaction Code of "B1", in the Response Claim Segment, the Prescription/Service Reference Number Qualifier (455-EM) is "1" (Rx Billing).
4Ø2-D2	PRESCRIPTION/SERVICE REFERENCE NUMBER		М	

Response DUR/PPS Segment Questions	Check	Claim Billing/Claim Rebill Accepted/Rejected If Situational, Payer Situation
This Segment is situational	Х	

	Response DUR/PPS Segment Segment Identification (111-AM) = "24"			Claim Billing/Claim Rebill Accepted/Rejected
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
	Response DUR/PPS Segment Segment Identification (111-AM) = "24"			Claim Billing/Claim Rebill Accepted/Rejected
567-J6	DUR/PPS RESPONSE CODE COUNTER	Maximum 9 occurrences supported.	RW	Required if Reason For Service Code (439E4) is used.
439-E4	REASON FOR SERVICE CODE		RW	Required if utilization conflict is detected.
528-FS	CLINICAL SIGNIFICANCE CODE		RW	Required if needed to supply additional information for the utilization conflict.
529-FT	OTHER PHARMACY INDICATOR		RW	Required if needed to supply additional information for the utilization conflict.
53Ø-FU	PREVIOUS DATE OF FILL	CCYYMMDD	RW	Required if needed to supply additional information for the utilization conflict.
531-FV	QUANTITY OF PREVIOUS FILL		RW	Required if needed to supply additional information for the utilization conflict.
532-FW	DATABASE INDICATOR	1 = First DataBank – a drug database company	RW	Required if needed to supply additional information for the utilization conflict.



533-FX	OTHER PRESCRIBER INDICATOR	RW	Required if needed to supply additional
			information for the utilization conflict.
544-FY	DUR FREE TEXT MESSAGE	RW	Required if needed to supply additional
			information for the utilization conflict.

CLAIM BILLING/CLAIM REBILL REJECTED/REJECTED RESPONSE

CLAIM BILLING/CLAIM REBILL REJECTED/REJECTED RESPONSE

Response Transaction Header Segment Questions	Check	Claim Billing/Claim Rebill Rejected/Rejected If		
		Situational, Payer Situation		
This Segment is always sent	Х			

	Response Transaction Header Segment			Claim Billing/Claim Rebill Rejected/Rejected
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
1Ø2-A2	VERSION/RELEASE NUMBER	DØ	М	
1Ø3-A3	TRANSACTION CODE	B1, B3	М	
1Ø9-A9	TRANSACTION COUNT	Same value as in request	М	
5Ø1-F1	HEADER RESPONSE STATUS	R = Rejected	М	
2Ø2-B2	SERVICE PROVIDER ID QUALIFIER	Same value as in request	М	
2Ø1-B1	SERVICE PROVIDER ID	Same value as in request	М	
4Ø1-D1	DATE OF SERVICE	Same value as in request	М	

Response Message Segment Questions	Check	Claim Billing/Claim Rebill Rejected/Rejected If Situational, Payer Situation
This Segment is situational	X	Segment sent if required for reject clarification

	Response Message Segment Segment Identification (111-AM) = "2Ø"			Claim Billing/Claim Rebill Rejected/Rejected
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
5Ø4-F4	MESSAGE	Text Message	RW	Required if text is needed for clarification or detail.

Response Status Segment Questions	Check	Claim Billing/Claim Rebill Rejected/Rejected If Situational, Payer Situation
This Segment is always sent	Х	

	Response Status Segment Segment Identification (111-AM) = "21"			Claim Billing/Claim Rebill Rejected/Rejected
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
112-AN	TRANSACTION RESPONSE STATUS	R = Reject	М	
	Response Status Segment Segment Identification (111-AM) = "21"			Claim Billing/Claim Rebill Rejected/Rejected



Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
5Ø3-F3	AUTHORIZATION NUMBER	17-digit TCN	RW	Required if needed to identify the transaction.
51Ø-FA	REJECT COUNT	Maximum count of 5.	R	
511-FB	REJECT CODE		R	
546-4F	REJECT FIELD OCCURRENCE INDICATOR		RW	Required if a repeating field is in error, to identify repeating field occurrence.
13Ø-UF	ADDITIONAL MESSAGE INFORMATION COUNT	Maximum count of 25.	RW	Required if Additional Message Information (526-FQ) is used.
132-UH	ADDITIONAL MESSAGE INFORMATION QUALIFIER		RW	Required if Additional Message Information (526-FQ) is used.
526-FQ	ADDITIONAL MESSAGE INFORMATION		RW	Required when additional text is needed for clarification or detail.
131-UG	ADDITIONAL MESSAGE INFORMATION CONTINUITY		RW	Required if and only if current repetition of Additional Message Information (526-FQ) is used, another populated repetition of Additional Message Information (526-FQ) follows it, and the text of the following message is a continuation of the current.

** End of Response Claim Billing/Claim Rebill (B1/B3) Payer Sheet Template**



Additional Claim Information

DUR Codes

Reason for Service Codes (439-E4): DUR Conflict Codes

Code	Meaning	Code	Meaning
AT	Additive Toxicity	LD	Low Dose Alert
СН	Call Help Desk	LR	Under Use Precaution
DA	Drug Allergy Alert	MC	Drug Disease Precaution
DC	Inferred Drug Disease Precaution	MN	Insufficient Duration Alert
DD	Drug-Drug Interaction	MX	Excessive Duration Alert
DF	Drug Food Interaction	OH	Alcohol Precaution
DI	Drug Incompatibility	PA	Drug Age Precaution
DL	Drug Lab Conflict	PG	Drug Pregnancy Alert
DS	Tobacco Use Precaution	PR	Prior Adverse Drug Reaction
ER	Overuse Conflict	SE	Side Effect Alert
HD	High Dose Alert	SX	Drug Gender Alert
IC	Iatrogenic Condition Alert	TD	Therapeutic Duplication
ID	Ingredient Duplication		

Professional Service Codes (44Ø-E5): Intervention Codes

Code	Meaning	Code	Meaning
MØ	Prescriber Consulted - MD Interface	,-	Pharmacist Consulted Other Source - Pharmacist reviewed
PØ	Patient Consulted - patient interaction		

Result of Service Codes (441-E6): Intervention Codes

Code	Meaning	Code	Meaning
1A	Filled As Is – False Positive	1F	Filled – Different Quantity
1B	Filled Prescription As Is	1G	Filled after prescriber approval
1C	Filled With Different Dose	2A	Not Filled
1D	Filled With Different Directions	2B	Not Filled – Directions Clarified



** ADDITIONAL INFORMATION FOR CLAIM BILLING SUBMISSIONS **

Effective May 1, 2014, the Office of Workers' Compensation Programs (OWCP) implemented changes to the calculation of maximum allowable fee for prescription drugs. The OWCP began calculating the maximum allowable fee for pharmacy billings of prescription drugs using a formula which differentiates between brand name drugs and generic drugs.
The maximum allowable fee for brand name drugs is calculated at 90% of the average wholesale price (AWP – 10%) plus a \$4.00 dispensing fee, and the maximum allowable fee for generic drugs is calculated at 75% of the average wholesale price (AWP – 25%) plus a \$4.00 dispensing fee for Division of Energy Employees' Occupational Illness Compensation (DEEOIC).

Technical questions on point of sale claims processing, point-of-sale denials and questions on claimant's eligibility or the status of submitted pharmacy bills may be directed to:

Conduent Pharmacy Call Center at 1(866) 664-5581

Paper Claims should be submitted to: US DOL/OWCP/EEOICP Fiscal Agent Services PO BOX 8310 London, KY 40742-8310

Fax: 1-800-309-6180

Enrolled Providers can view Bill History and perform Claimant Eligibility verifications online at: https://owcprx.dol.gov/

EEOICP Jacksonville District Office 400 West Bay Street Ste 722 Jacksonville, FL 32202 (604) 357-4795 1-877-366-4272 EEOICP Denver District Office P.O. Box 25601 Building 53 One Denver Federal Center Denver, CO 80225-0601 (720) 264-3060 1-888-805-3389

EEOICP Cleveland District Office 1001 Lakeside Ave., Ste 350 Cleveland, OH 44114 216) 802-1300 1-888-859-7211 EEOICP Seattle District Office 719 2nd Avenue, Suite 601 Seattle, WA 98104 206) 373-6750 1-888-805-3401